

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/342782102>

On a three-dimensional solvable system of difference equations

Article in *Turkish Journal of Mathematics* · July 2020

DOI: 10.3906/mat-2001-40

CITATIONS

2

READS

169

3 authors, including:



Yacine Halim

Centre universitaire de Mila

25 PUBLICATIONS 301 CITATIONS

[SEE PROFILE](#)



Messaoud Berkal

University of Alicante

8 PUBLICATIONS 20 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Supplement to the paper of halim, touafek and elsayed: Part II [View project](#)



Information about your PhD degree [View project](#)

On a three-dimensional solvable system of difference equations

Yacine HALIM^{1,3,*}, **Massaoud BERKAL¹**, **Amira KHELIFA^{2,3}**

¹Department of Mathematics and Computer Sciences, Abdelhafid Boussouf University, Mila, Algeria

²Department of Mathematics, Mohamed Seddik Ben Yahia University, Jijel, Algeria

³LMAM Laboratory, Mohamed Seddik Ben Yahia University, Jijel, Algeria

Received: 13.01.2020

Accepted/Published Online: 13.05.2020

Final Version: 08.07.2020

Abstract: In this paper we solve the following system of difference equations

$$x_{n+1} = \frac{z_{n-1}}{a + by_n z_{n-1}}, \quad y_{n+1} = \frac{x_{n-1}}{a + bz_n x_{n-1}}, \quad z_{n+1} = \frac{y_{n-1}}{a + bx_n y_{n-1}}, \quad n \in \mathbb{N}_0$$

where parameters a, b and initial values $x_{-1}, x_0, y_{-1}, y_0, z_{-1}, z_0$ are nonzero real numbers, and give a representation of its general solution in terms of a specially chosen solutions to homogeneous linear difference equation with constant coefficients associated to the system.

Key words: System of difference equations, general solution, representation of solutions

1. Introduction

Finding closed-form formulas for solutions to difference equations and systems of difference equations has attracted considerable interest recently (see, for example, [1, 6, 8–23, 25–30, 32–36] and the related references therein).

The paper by Stevic [24] has considerably motivated this line of research. He gave a theoretical explanation for the formula of solutions of the following difference equation

$$x_{n+1} = \frac{x_{n-1}}{1 + x_n x_{n-1}}, \quad n \in \mathbb{N}_0. \quad (1.1)$$

Aloqeili [2] has obtained the solutions of the difference equation

$$x_{n+1} = \frac{x_{n-1}}{a - x_n x_{n-1}}, \quad n \in \mathbb{N}_0. \quad (1.2)$$

Namely, Cinar [3–5] investigated the solutions of the following difference equations

$$x_{n+1} = \frac{x_{n-1}}{1 + ax_n x_{n-1}}, \quad x_{n+1} = \frac{x_{n-1}}{-1 + x_n x_{n-1}}, \quad x_{n+1} = \frac{ax_{n-1}}{1 + bx_n x_{n-1}}, \quad n \in \mathbb{N}_0. \quad (1.3)$$

In this paper we consider the following extension of the equations in (1.1), (1.2), and (1.3)

$$x_{n+1} = \frac{z_{n-1}}{a + by_n z_{n-1}}, \quad y_{n+1} = \frac{x_{n-1}}{a + bz_n x_{n-1}}, \quad z_{n+1} = \frac{y_{n-1}}{a + bx_n y_{n-1}}, \quad n \in \mathbb{N}_0 \quad (1.4)$$

*Correspondence: halyacine@yahoo.fr

2010 AMS Mathematics Subject Classification: 39A10, 40A05.

where the parameters a, b and the initial values $x_{-1}, x_0, y_{-1}, y_0, z_{-1}, z_0$ are nonzero real numbers.

Other extensions of the equations in (1.1), (1.2), and (1.3) have been studied in two-dimensional system, for example Elsayed in [7] obtained the form of the solutions of the following rational difference system

$$x_{n+1} = \frac{x_{n-1}}{\pm 1 + y_n x_{n-1}}, \quad y_{n+1} = \frac{y_{n-1}}{\pm 1 + x_n y_{n-1}}, \quad n \in \mathbb{N}_0. \quad (1.5)$$

The closed-form formulas of solutions are given and proven by induction.

Our objective is to show that system (1.4) is solvable by finding its closed-form formulas through an analytical approach, and to show that all the closed-form formulas obtained in [2–5] and [24] easily follow from the ones in our present paper.

2. Main results

Assume that $\{x_n, y_n, z_n\}_{n \geq -1}$ is a well-defined solution to system (1.4). Then from (1.4) we have

$$x_{n+1} = \frac{y_n z_{n-1}}{ay_n + bz_n^2 z_{n-1}}, \quad y_{n+1} = \frac{z_n x_{n-1}}{az_n + bz_n^2 x_{n-1}}, \quad z_{n+1} = \frac{x_n y_{n-1}}{ax_n + bx_n^2 y_{n-1}}, \quad n \in \mathbb{N}_0. \quad (2.1)$$

Let

$$u_n = x_n y_{n-1}, \quad v_n = y_n z_{n-1}, \quad w_n = z_n x_{n-1}, \quad n \in \mathbb{N}_0. \quad (2.2)$$

Then system (2.1) can be written as

$$u_{n+1} = \frac{v_n}{a + bv_n}, \quad v_{n+1} = \frac{w_n}{a + bw_n}, \quad w_{n+1} = \frac{u_n}{a + bu_n}, \quad n \in \mathbb{N}_0. \quad (2.3)$$

If we use the last recurrence relation in (2.3) into the second one, we obtain

$$v_{n+1} = \frac{u_{n-1}}{a^2 + b(a+1)u_{n-1}}, \quad n \in \mathbb{N}_1. \quad (2.4)$$

We replace the equation (2.4) into the first recurrence relation in (2.3), we obtain:

$$u_{n+1} = \frac{u_{n-2}}{a^3 + b(a^2 + a + 1)u_{n-2}}, \quad n \in \mathbb{N}_2. \quad (2.5)$$

Let

$$u_n^{(j)} = u_{3n+j}, \quad (2.6)$$

where $n \in \mathbb{N}_0, j \in \{0, 1, 2\}$.

Using notation (2.6), we can write (2.5) as

$$u_{n+1}^{(j)} = \frac{u_n^{(j)}}{A + Bu_n^{(j)}}, \quad n \in \mathbb{N}_0, \quad (2.7)$$

with

$$A = a^3, \quad B = b(a^2 + a + 1).$$

Equation (2.7) can be reduced to the equation:

$$\mathcal{H}_{n+1} = \frac{(1+A)\mathcal{H}_n - A}{\mathcal{H}_n}, \quad n \in \mathbb{N}_0, \quad (2.8)$$

by using the change of variable

$$u_n^{(j)} = \frac{1}{B} (\mathcal{H}_n - A), \quad n \in \mathbb{N}_0. \quad (2.9)$$

Now we consider that the difference equation (2.8) with the initial value \mathcal{H}_0 is nonzero real number.

Through an analytical approach, we put

$$\mathcal{H}_n = \frac{k_n}{k_{n-1}}, \quad n \in \mathbb{N}_0. \quad (2.10)$$

Then equation (2.8) becomes

$$k_{n+1} - (1+A)k_n + Ak_{n-1} = 0, \quad n \in \mathbb{N}_0. \quad (2.11)$$

Case $A \neq 1$:

Let $\{k_n\}_{n \geq -1}$ be the solution to equation (2.11) such that k_0 and k_{-1} are nonzero real numbers. The roots of the characteristic polynomial $P(\lambda) = \lambda^2 - (1+A)\lambda + A$ are $\lambda_1 = A$ and $\lambda_2 = 1$. Then the general solution to equation (2.11) can be written in the following form

$$k_n = c_1 + c_2 A^n, \quad n \in \mathbb{N}_0.$$

Using the initial values k_0 and k_{-1} with some calculations we get

$$\begin{aligned} c_1 &= \frac{k_0 - k_{-1}A}{1-A}, \\ c_2 &= \frac{A(k_{-1} - k_0)}{1-A}. \end{aligned}$$

Thus, the general solution of equation (2.11) is

$$k_n = \frac{1}{1-A} [k_0 (1 - A^{n+1}) - Ak_{-1} (1 - A^n)], \quad n \in \mathbb{N}_0. \quad (2.12)$$

From all mentioned above, we see that the following theorem holds.

Theorem 2.1 *Let $\{\mathcal{H}_n\}_{n \geq 0}$ be a well-defined solution to the equation (2.8). Then, for $n \in \mathbb{N}_0$*

$$\mathcal{H}_n = \frac{A(1 - A^n) - \mathcal{H}_0(1 - A^{n+1})}{A(1 - A^{n-1}) - \mathcal{H}_0(1 - A^n)}. \quad (2.13)$$

Then, from (2.9) we see that

$$\begin{aligned} u_n^{(j)} &= \frac{1}{B} (\mathcal{H}_n - A) \\ &= \frac{(A-1)u_0^{(j)}}{A^n(A-1) - B(1 - A^n)u_0^{(j)}}, \end{aligned}$$

using

$$\sum_{i=0}^{n-1} A^i = \frac{A^n - 1}{A - 1}, \quad \mathcal{H}_0 = A + Bu_0^{(j)}$$

we get that the solutions of the difference equation (2.7) is

$$u_n^{(j)} = \frac{u_0^{(j)}}{A^n + B \left(\sum_{i=0}^{n-1} A^i \right) u_0^{(j)}}, \quad (2.14)$$

for each $j \in \{0, 1, 2\}$.

From all mentioned above by using (2.6), we see that the following corollary holds.

Corollary 2.2 *Let $\{u_n\}_{n \geq 0}$ be a well-defined solution to the equation (2.5). Then, for $n \in \mathbb{N}_0$*

$$\begin{cases} u_{3n} = \frac{u_0}{A^n + B \left(\sum_{i=0}^{n-1} A^i \right) u_0}, \\ u_{3n+1} = \frac{u_1}{A^n + B \left(\sum_{i=0}^{n-1} A^i \right) u_1}, \\ u_{3n+2} = \frac{u_2}{A^n + B \left(\sum_{i=0}^{n-1} A^i \right) u_2}. \end{cases} \quad (2.15)$$

Let $\{u_n\}_{n \geq 0}$ be a well-defined solution to the equation in (2.5). From (2.3), we have

$$u_1 = \frac{v_0}{a + bv_0}.$$

On the other hand, from Corollary (2.2), we obtain

$$\begin{aligned} u_{3n+1} &= \frac{\frac{v_0}{a + bv_0}}{a^{3n} + b(a^2 + a + 1) \left(\sum_{i=0}^{n-1} a^{3i} \right) \frac{v_0}{a + bv_0}} \\ &= \frac{v_0}{a^{3n}(a + bv_0) + b \left((a^2 + a + 1) \left(\sum_{i=0}^{n-1} a^{3i} \right) \right) v_0}. \end{aligned}$$

Thus, we get

$$u_{3n+1} = \frac{v_0}{a^{3n+1} + b \left(a(a+1) \left(\sum_{i=0}^{n-1} a^{3i} \right) + \left(\sum_{i=0}^n a^{3i} \right) \right) v_0}.$$

Moreover, from (2.3), we have

$$u_2 = \frac{w_0}{a^2 + b(a+1)w_0}.$$

Thus, from Corollary (2.2), we get

$$\begin{aligned} u_{3n+2} &= \frac{\frac{w_0}{a^2 + b(a+1)w_0}}{A^n + B \left(\sum_{i=0}^{n-1} A^i \right) \frac{w_0}{a^2 + b(a+1)w_0}} \\ &= \frac{w_0}{a^{3n}(a^2 + b(a+1)w_0) + b \left((a(a+1)+1) \left(\sum_{i=0}^{n-1} a^{3i} \right) \right) w_0}. \end{aligned}$$

Thus, we get

$$u_{3n+2} = \frac{w_0}{a^{3n+2} + b \left(a^2 \left(\sum_{i=0}^{n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^n a^{3i} \right) \right) w_0}.$$

Similarly, we can find $v_{3n}, v_{3n+1}, v_{3n+2}, w_{3n}, w_{3n+1}$, and w_{3n+2} .

From the above consideration, we see that the following result holds.

Theorem 2.3 Let $\{u_n, v_n, w_n\}_{n \geq 0}$ be a well-defined solution to the system (2.3). Then, for $n \in \mathbb{N}_0$

$$\begin{cases} u_{3n} = \frac{u_0}{a^{3n} + b(a^2 + a + 1) \left(\sum_{i=0}^{n-1} a^{3i} \right) u_0}, \\ u_{3n+1} = \frac{v_0}{a^{3n+1} + b \left(a(a+1) \left(\sum_{i=0}^{n-1} a^{3i} \right) + \left(\sum_{i=0}^n a^{3i} \right) \right) v_0}, \\ u_{3n+2} = \frac{w_0}{a^{3n+2} + b \left(a^2 \left(\sum_{i=0}^{n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^n a^{3i} \right) \right) w_0}, \\ \\ v_{3n} = \frac{v_0}{a^{3n} + b(a^2 + a + 1) \left(\sum_{i=0}^{n-1} a^{3i} \right) v_0}, \\ v_{3n+1} = \frac{w_0}{a^{3n+1} + b \left(a(a+1) \left(\sum_{i=0}^{n-1} a^{3i} \right) + \left(\sum_{i=0}^n a^{3i} \right) \right) w_0}, \\ v_{3n+2} = \frac{u_0}{a^{3n+2} + b \left(a^2 \left(\sum_{i=0}^{n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^n a^{3i} \right) \right) u_0}, \end{cases}$$

$$\begin{cases} w_{3n} = \frac{w_0}{a^{3n} + b(a^2 + a + 1) \left(\sum_{i=0}^{n-1} a^{3i} \right) w_0}, \\ w_{3n+1} = \frac{u_0}{a^{3n+1} + b \left(a(a+1) \left(\sum_{i=0}^{n-1} a^{3i} \right) + \left(\sum_{i=0}^n a^{3i} \right) \right) u_0}, \\ w_{3n+2} = \frac{v_0}{a^{3n+2} + b \left(a^2 \left(\sum_{i=0}^{n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^n a^{3i} \right) \right) v_0}. \end{cases}$$

Let

$$x_n = \frac{u_n}{y_{n-1}}, \quad n \in \mathbb{N}_0, \quad (2.16)$$

$$y_n = \frac{v_n}{z_{n-1}}, \quad n \in \mathbb{N}_0, \quad (2.17)$$

$$z_n = \frac{w_n}{x_{n-1}}, \quad n \in \mathbb{N}_0. \quad (2.18)$$

Using (2.18) and (2.17) in formula (2.16), after some calculations we get

$$x_{6n} = \frac{u_{6n} w_{6n-2} v_{6n-4}}{v_{6n-1} u_{6n-3} w_{6n-5}} x_{6n-6}, \quad n \in \mathbb{N}_0. \quad (2.19)$$

Moreover, using equalities (2.18) and (2.16) in formula (2.17), we obtain

$$y_{6n} = \frac{v_{6n} u_{6n-2} w_{6n-4}}{w_{6n-1} v_{6n-3} u_{6n-5}} y_{6n-6}, \quad n \in \mathbb{N}_0. \quad (2.20)$$

Similarly, using (2.16) and (2.17) in formula (2.18), we get

$$z_{6n} = \frac{w_{6n} v_{6n-2} u_{6n-4}}{u_{6n-1} w_{6n-3} v_{6n-5}} z_{6n-6}, \quad n \in \mathbb{N}_0. \quad (2.21)$$

Multiplying the equalities which are obtained in (2.19), (2.20), and (2.21) from 1 to n , respectively, it follows that

$$x_{6n} = x_0 \prod_{i=1}^n \left(\frac{u_{6i} w_{6i-2} v_{6i-4}}{v_{6i-1} u_{6i-3} w_{6i-5}} \right), \quad n \in \mathbb{N}, \quad (2.22)$$

$$y_{6n} = y_0 \prod_{i=1}^n \left(\frac{v_{6i} u_{6i-2} w_{6i-4}}{w_{6i-1} v_{6i-3} u_{6i-5}} \right), \quad n \in \mathbb{N}, \quad (2.23)$$

$$z_{6n} = z_0 \prod_{i=1}^n \left(\frac{w_{6i} v_{6i-2} u_{6i-4}}{u_{6i-1} w_{6i-3} v_{6i-5}} \right), \quad n \in \mathbb{N}. \quad (2.24)$$

Using the equalities (2.22), (2.23), and (2.24) in (2.16), (2.17), and (2.18), we obtain

$$\begin{aligned} x_{6n-1} &= \frac{w_{6n}}{z_{6n}}, \\ &= \frac{1}{z_0} \frac{w_0}{a^{6n} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n-1} a^{3i} \right)} \prod_{i=1}^n \left(\frac{u_{6i-1} w_{6i-3} v_{6i-5}}{w_{6i} v_{6i-2} u_{6i-4}} \right), \end{aligned}$$

so

$$x_{6n-1} = x_{-1} \frac{1}{a^{6n} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n-1} a^{3i} \right)} \prod_{i=1}^n \left(\frac{u_{6i-1} w_{6i-3} v_{6i-5}}{w_{6i} v_{6i-2} u_{6i-4}} \right). \quad (2.25)$$

Moreover,

$$\begin{aligned} y_{6n-1} &= \frac{u_{6n}}{x_{6n}}, \\ &= \frac{1}{x_0} \frac{u_0}{a^{6n} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n-1} a^{3i} \right)} \prod_{i=1}^n \left(\frac{v_{6i-1} u_{6i-3} w_{6i-5}}{u_{6i} w_{6i-2} v_{6i-4}} \right); \end{aligned}$$

hence

$$y_{6n-1} = y_{-1} \frac{1}{a^{6n} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n-1} a^{3i} \right)} \prod_{i=1}^n \left(\frac{v_{6i-1} u_{6i-3} w_{6i-5}}{u_{6i} w_{6i-2} v_{6i-4}} \right). \quad (2.26)$$

Similarly,

$$\begin{aligned} z_{6n-1} &= \frac{v_{6n}}{y_{6n}}, \\ &= \frac{1}{y_0} \frac{v_0}{a^{6n} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n-1} a^{3i} \right)} \prod_{i=1}^n \left(\frac{w_{6i-1} v_{6i-3} u_{6i-5}}{v_{6i} u_{6i-2} w_{6i-4}} \right), \end{aligned}$$

so

$$z_{6n-1} = z_{-1} \frac{1}{a^{6n} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n-1} a^{3i} \right)} \prod_{i=1}^n \left(\frac{w_{6i-1} v_{6i-3} u_{6i-5}}{v_{6i} u_{6i-2} w_{6i-4}} \right). \quad (2.27)$$

And

$$\begin{aligned} x_{6n+1} &= \frac{u_{6n+1}}{y_{6n}}, \\ &= \frac{1}{y_0} \frac{v_0}{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right)} \prod_{i=1}^n \left(\frac{w_{6i-1} v_{6i-3} u_{6i-5}}{v_{6i} u_{6i-2} w_{6i-4}} \right); \end{aligned}$$

thus, we have

$$x_{6n+1} = z_{-1} \frac{1}{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right)} y_0 z_{-1} \prod_{i=1}^n \left(\frac{w_{6i-1} v_{6i-3} u_{6i-5}}{v_{6i} u_{6i-2} w_{6i-4}} \right). \quad (2.28)$$

Moreover,

$$\begin{aligned} y_{6n+1} &= \frac{v_{6n+1}}{z_{6n}}, \\ &= \frac{1}{z_0} \frac{w_0}{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right)} w_0 \prod_{i=1}^n \left(\frac{u_{6i-1} w_{6i-3} v_{6i-5}}{w_{6i} v_{6i-2} u_{6i-4}} \right); \end{aligned}$$

hence,

$$y_{6n+1} = x_{-1} \frac{1}{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right)} z_0 x_{-1} \prod_{i=1}^n \left(\frac{u_{6i-1} w_{6i-3} v_{6i-5}}{w_{6i} v_{6i-2} u_{6i-4}} \right). \quad (2.29)$$

Moreover,

$$\begin{aligned} z_{6n+1} &= \frac{w_{6n+1}}{x_{6n}}, \\ &= \frac{1}{x_0} \frac{u_0}{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right)} u_0 \prod_{i=1}^n \left(\frac{v_{6i-1} u_{6i-3} w_{6i-5}}{u_{6i} w_{6i-2} v_{6i-4}} \right), \end{aligned}$$

so

$$z_{6n+1} = y_{-1} \frac{1}{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right)} x_0 y_{-1} \prod_{i=1}^n \left(\frac{v_{6i-1} u_{6i-3} w_{6i-5}}{u_{6i} w_{6i-2} v_{6i-4}} \right). \quad (2.30)$$

Using the equalities (2.28), (2.29), and (2.30) in formulas (2.16), (2.17), and (2.18), we obtain

$$\begin{aligned} x_{6n+2} &= \frac{u_{6n+2}}{y_{6n+1}}, \\ &= \frac{w_0}{x_{-1}} \frac{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right)}{a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right)} w_0 \prod_{i=1}^n \left(\frac{w_{6i} v_{6i-2} u_{6i-4}}{u_{6i-1} w_{6i-3} v_{6i-5}} \right); \end{aligned}$$

hence, we have

$$x_{6n+2} = z_0 \frac{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1}}{a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1}} \prod_{i=1}^n \left(\frac{w_{6i} v_{6i-2} u_{6i-4}}{u_{6i-1} w_{6i-3} v_{6i-5}} \right). \quad (2.31)$$

Moreover,

$$\begin{aligned} y_{6n+2} &= \frac{v_{6n+2}}{z_{6n+1}}, \\ &= \frac{u_0}{y_{-1}} \frac{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) u_0}{a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) u_0} \prod_{i=1}^n \left(\frac{u_{6i} w_{6i-2} v_{6i-4}}{v_{6i-1} u_{6i-3} w_{6i-5}} \right); \end{aligned}$$

thus

$$y_{6n+2} = x_0 \frac{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) x_0 y_{-1}}{a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) x_0 y_{-1}} \prod_{i=1}^n \left(\frac{u_{6i} w_{6i-2} v_{6i-4}}{v_{6i-1} u_{6i-3} w_{6i-5}} \right). \quad (2.32)$$

Similarly,

$$\begin{aligned} z_{6n+2} &= \frac{w_{6n+2}}{x_{6n+1}}, \\ &= \frac{v_0}{z_{-1}} \frac{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) v_0}{a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) v_0} \prod_{i=1}^n \left(\frac{v_{6i} u_{6i-2} w_{6i-4}}{w_{6i-1} v_{6i-3} u_{6i-5}} \right); \end{aligned}$$

hence

$$z_{6n+2} = y_0 \frac{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1}}{a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1}} \prod_{i=1}^n \left(\frac{v_{6i} u_{6i-2} w_{6i-4}}{w_{6i-1} v_{6i-3} u_{6i-5}} \right). \quad (2.33)$$

Using the equalities (2.31), (2.32), and (2.33) in formulas (2.16), (2.17), and (2.18), we obtain

$$\begin{aligned}
x_{6n+3} &= \frac{u_{6n+3}}{y_{6n+2}}, \\
&= \frac{u_0 \left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) u_0 \right)}{x_0 \left(a^{6n+3} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n} a^{3i} \right) u_0 \right) \left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) u_0 \right)} \\
&\times \prod_{i=1}^n \left(\frac{v_{6i-1} u_{6i-3} w_{6i-5}}{u_{6i} w_{6i-2} v_{6i-4}} \right);
\end{aligned}$$

hence

$$\begin{aligned}
x_{6n+3} &= y_{-1} \frac{\left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) x_0 y_{-1} \right)}{\left(a^{6n+3} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n} a^{3i} \right) x_0 y_{-1} \right) \left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) x_0 y_{-1} \right)} \\
&\times \prod_{i=1}^n \left(\frac{v_{6i-1} u_{6i-3} w_{6i-5}}{u_{6i} w_{6i-2} v_{6i-4}} \right). \tag{2.34}
\end{aligned}$$

Moreover,

$$\begin{aligned}
y_{6n+3} &= \frac{v_{6n+3}}{z_{6n+2}}, \\
&= \frac{v_0 \left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1} \right)}{y_0 \left(a^{6n+3} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n} a^{3i} \right) v_0 \right) \left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1} \right)} \\
&\times \prod_{i=1}^n \left(\frac{w_{6i-1} v_{6i-3} u_{6i-5}}{v_{6i} u_{6i-2} w_{6i-4}} \right),
\end{aligned}$$

so

$$\begin{aligned}
y_{6n+3} &= z_{-1} \frac{\left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1} \right)}{\left(a^{6n+3} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n} a^{3i} \right) y_0 z_{-1} \right) \left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1} \right)} \\
&\times \prod_{i=1}^n \left(\frac{w_{6i-1} v_{6i-3} u_{6i-5}}{v_{6i} u_{6i-2} w_{6i-4}} \right). \tag{2.35}
\end{aligned}$$

Moreover,

$$\begin{aligned}
z_{6n+3} &= \frac{w_{6n+3}}{x_{6n+2}}, \\
&= \frac{w_0 \left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1} \right)}{z_0 \left(a^{6n+3} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n} a^{3i} \right) w_0 \right) \left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1} \right)} \\
&\times \prod_{i=1}^n \left(\frac{u_{6i-1} w_{6i-3} v_{6i-5}}{w_{6i} v_{6i-2} u_{6i-4}} \right);
\end{aligned}$$

hence

$$\begin{aligned}
z_{6n+3} &= x_{-1} \frac{\left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1} \right)}{\left(a^{6n+3} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n} a^{3i} \right) z_0 x_{-1} \right) \left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1} \right)} \\
&\times \prod_{i=1}^n \left(\frac{u_{6i-1} w_{6i-3} v_{6i-5}}{w_{6i} v_{6i-2} u_{6i-4}} \right). \tag{2.36}
\end{aligned}$$

Using the equalities (2.34), (2.35), and (2.36) in formulas (2.16), (2.17), and (2.18), we obtain

$$\begin{aligned}
x_{6n+4} &= \frac{u_{6n+4}}{y_{6n+3}}, \\
&= \frac{v_0 \left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1} \right)}{z_{-1} \left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1} \right)} \\
&\times \frac{\left(a^{6n+3} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n} a^{3i} \right) y_0 z_{-1} \right)}{\left(a^{6n+4} + b \left(a(a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) + \left(\sum_{i=0}^{2n+1} a^{3i} \right) \right) v_0 \right)} \prod_{i=1}^n \left(\frac{v_{6i} u_{6i-2} w_{6i-4}}{w_{6i-1} v_{6i-3} u_{6i-5}} \right);
\end{aligned}$$

hence

$$\begin{aligned}
x_{6n+4} &= y_0 \frac{\left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1} \right)}{\left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1} \right)} \\
&\times \frac{\left(a^{6n+3} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n} a^{3i} \right) y_0 z_{-1} \right)}{\left(a^{6n+4} + b \left(a(a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) + \left(\sum_{i=0}^{2n+1} a^{3i} \right) \right) y_0 z_{-1} \right)} \prod_{i=1}^n \left(\frac{v_{6i} u_{6i-2} w_{6i-4}}{w_{6i-1} v_{6i-3} u_{6i-5}} \right),
\end{aligned}$$

Similarly,

$$\begin{aligned}
y_{6n+4} &= \frac{v_{6n+4}}{z_{6n+3}}, \\
&= \frac{w_0 \left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1} \right)}{x_{-1} \left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1} \right)} \\
&\times \frac{\left(a^{6n+3} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n} a^{3i} \right) z_0 x_{-1} \right)}{\left(a^{6n+4} + b \left(a(a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) + \left(\sum_{i=0}^{2n+1} a^{3i} \right) \right) w_0 \right)} \prod_{i=1}^n \left(\frac{w_{6i} v_{6i-2} u_{6i-4}}{u_{6i-1} w_{6i-3} v_{6i-5}} \right),
\end{aligned}$$

so

$$\begin{aligned}
y_{6n+4} &= z_0 \frac{\left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1} \right)}{\left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1} \right)} \\
&\times \frac{\left(a^{6n+3} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n} a^{3i} \right) z_0 x_{-1} \right)}{\left(a^{6n+4} + b \left(a(a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) + \left(\sum_{i=0}^{2n+1} a^{3i} \right) \right) z_0 x_{-1} \right)} \prod_{i=1}^n \left(\frac{w_{6i} v_{6i-2} u_{6i-4}}{u_{6i-1} w_{6i-3} v_{6i-5}} \right).
\end{aligned}$$

Moreover,

$$\begin{aligned}
z_{6n+4} &= \frac{w_{6n+4}}{x_{6n+3}}, \\
&= \frac{u_0 \left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) x_0 y_{-1} \right)}{y_{-1} \left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) x_0 y_{-1} \right)} \\
&\times \frac{\left(a^{6n+3} + b(a^2+a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) x_0 y_{-1} \right)}{\left(a^{6n+4} + b \left(a(a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) + \left(\sum_{i=0}^{2n+1} a^{3i} \right) \right) x_0 y_{-1} \right)} \prod_{i=1}^n \left(\frac{u_{6i} w_{6i-2} v_{6i-4}}{v_{6i-1} u_{6i-3} w_{6i-5}} \right);
\end{aligned}$$

thus

$$\begin{aligned}
z_{6n+4} &= x_0 \frac{\left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) x_0 y_{-1} \right)}{\left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) x_0 y_{-1} \right)} \\
&\times \frac{\left(a^{6n+3} + b(a^2+a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) x_0 y_{-1} \right)}{\left(a^{6n+4} + b \left(a(a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) + \left(\sum_{i=0}^{2n+1} a^{3i} \right) \right) x_0 y_{-1} \right)} \prod_{i=1}^n \left(\frac{u_{6i} w_{6i-2} v_{6i-4}}{v_{6i-1} u_{6i-3} w_{6i-5}} \right).
\end{aligned}$$

Using relationships in the Theorem (2.3) we obtain

$$\left\{
\begin{aligned}
w_{3n} &= \frac{w_0}{a^{3n} + b(a^2+a+1) \left(\sum_{i=0}^{n-1} a^{3i} \right) w_0}, \\
w_{3n-1} &= \frac{v_0}{a^{3n-1} + b \left(a^2 \left(\sum_{i=0}^{n-2} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{n-1} a^{3i} \right) \right) v_0}, \\
w_{3n-2} &= \frac{u_0}{a^{3n-2} + b \left(a(a+1) \left(\sum_{i=0}^{n-2} a^{3i} \right) + \left(\sum_{i=0}^{n-1} a^{3i} \right) \right) u_0}, \\
w_{3n-3} &= \frac{w_0}{a^{3n-3} + b(a^2+a+1) \left(\sum_{i=0}^{n-2} a^{3i} \right) w_0}, \\
w_{3n-4} &= \frac{v_0}{a^{3n-4} + b \left(a^2 \left(\sum_{i=0}^{n-3} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{n-2} a^{3i} \right) \right) v_0}, \\
w_{3n-5} &= \frac{u_0}{a^{3n-5} + b \left(a(a+1) \left(\sum_{i=0}^{n-3} a^{3i} \right) + \left(\sum_{i=0}^{n-2} a^{3i} \right) \right) u_0}.
\end{aligned}
\right.$$

Moreover,

$$\left\{ \begin{array}{lcl} v_{3n} & = & \frac{v_0}{a^{3n} + b(a^2 + a + 1) \left(\sum_{i=0}^{n-1} a^{3i} \right) v_0}, \\ v_{3n-1} & = & \frac{u_0}{a^{3n-1} + b \left(a^2 \left(\sum_{i=0}^{n-2} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{n-1} a^{3i} \right) \right) u_0}, \\ v_{3n-2} & = & \frac{w_0}{a^{3n-2} + b \left(a(a+1) \left(\sum_{i=0}^{n-2} a^{3i} \right) + \left(\sum_{i=0}^{n-1} a^{3i} \right) \right) w_0}, \\ v_{3n-3} & = & \frac{v_0}{a^{3n-3} + b(a^2 + a + 1) \left(\sum_{i=0}^{n-2} a^{3i} \right) v_0}, \\ v_{3n-4} & = & \frac{u_0}{a^{3n-4} + b \left(a^2 \left(\sum_{i=0}^{n-3} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{n-2} a^{3i} \right) \right) u_0}, \\ v_{3n-5} & = & \frac{w_0}{a^{3n-5} + b \left(a(a+1) \left(\sum_{i=0}^{n-3} a^{3i} \right) + \left(\sum_{i=0}^{n-2} a^{3i} \right) \right) w_0}. \end{array} \right.$$

And

$$\left\{ \begin{array}{lcl} u_{3n} & = & \frac{u_0}{a^{3n} + b(a^2 + a + 1) \left(\sum_{i=0}^{n-1} a^{3i} \right) u_0}, \\ u_{3n-1} & = & \frac{w_0}{a^{3n-1} + b \left(a^2 \left(\sum_{i=0}^{n-2} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{n-1} a^{3i} \right) \right) w_0}, \\ u_{3n-2} & = & \frac{v_0}{a^{3n-2} + b \left(a(a+1) \left(\sum_{i=0}^{n-2} a^{3i} \right) + \left(\sum_{i=0}^{n-1} a^{3i} \right) \right) v_0}, \\ u_{3n-3} & = & \frac{u_0}{a^{3n-3} + b(a^2 + a + 1) \left(\sum_{i=0}^{n-2} a^{3i} \right) u_0}, \\ u_{3n-4} & = & \frac{w_0}{a^{3n-4} + b \left(a^2 \left(\sum_{i=0}^{n-3} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{n-2} a^{3i} \right) \right) w_0}, \\ u_{3n-5} & = & \frac{v_0}{a^{3n-5} + b \left(a(a+1) \left(\sum_{i=0}^{n-3} a^{3i} \right) + \left(\sum_{i=0}^{n-2} a^{3i} \right) \right) v_0}. \end{array} \right.$$

From all mentioned above and

$$u_0 = x_0 y_{-1}, \quad v_0 = y_0 z_{-1}, \quad w_0 = z_0 x_{-1},$$

we see that the following result holds.

Theorem 2.4 Let $\{x_n, y_n, z_n\}_{n \geq -1}$ be a well-defined solution to the system (1.4). Then, for $n \in \mathbb{N}_0$

$$\begin{aligned}
x_{6n-1} &= x_{-1} \frac{1}{a^{6n} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) z_0 x_{-1}} \prod_{i=1}^n \left(\frac{u_{6i-1} w_{6i-3} v_{6i-5}}{w_{6i} v_{6i-2} u_{6i-4}} \right), \\
x_{6n} &= x_0 \prod_{i=1}^n \left(\frac{u_{6i} w_{6i-2} v_{6i-4}}{v_{6i-1} u_{6i-3} w_{6i-5}} \right), \\
x_{6n+1} &= z_{-1} \frac{1}{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1}} \prod_{i=1}^n \left(\frac{w_{6i-1} v_{6i-3} u_{6i-5}}{v_{6i} u_{6i-2} w_{6i-4}} \right), \\
x_{6n+2} &= z_0 \frac{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1}}{a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1}} \prod_{i=1}^n \left(\frac{w_{6i} v_{6i-2} u_{6i-4}}{u_{6i-1} w_{6i-3} v_{6i-5}} \right), \\
x_{6n+3} &= y_{-1} \frac{\left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) x_0 y_{-1} \right)}{\left(a^{6n+3} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n} a^{3i} \right) x_0 y_{-1} \right) \left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) x_0 y_{-1} \right)} \\
&\times \prod_{i=1}^n \left(\frac{v_{6i-1} u_{6i-3} w_{6i-5}}{u_{6i} w_{6i-2} v_{6i-4}} \right) \\
x_{6n+4} &= y_0 \frac{\left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1} \right)}{\left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1} \right)} \\
&\times \frac{\left(a^{6n+3} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n} a^{3i} \right) y_0 z_{-1} \right)}{\left(a^{6n+4} + b \left(a(a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) + \left(\sum_{i=0}^{2n+1} a^{3i} \right) \right) y_0 z_{-1} \right)} \prod_{i=1}^n \left(\frac{v_{6i} u_{6i-2} w_{6i-4}}{w_{6i-1} v_{6i-3} u_{6i-5}} \right), \\
y_{6n-1} &= y_{-1} \frac{1}{a^{6n} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) x_0 y_{-1}} \prod_{i=1}^n \left(\frac{v_{6i-1} u_{6i-3} w_{6i-5}}{u_{6i} w_{6i-2} v_{6i-4}} \right), \\
y_{6n} &= y_0 \prod_{i=1}^n \left(\frac{v_{6i} u_{6i-2} w_{6i-4}}{w_{6i-1} v_{6i-3} u_{6i-5}} \right), \\
y_{6n+1} &= x_{-1} \frac{1}{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1}} \prod_{i=1}^n \left(\frac{u_{6i-1} w_{6i-3} v_{6i-5}}{w_{6i} v_{6i-2} u_{6i-4}} \right),
\end{aligned}$$

$$\begin{aligned}
y_{6n+2} &= x_0 \frac{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) x_0 y_{-1}}{a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) x_0 y_{-1}} \prod_{i=1}^n \left(\frac{u_{6i} w_{6i-2} v_{6i-4}}{v_{6i-1} u_{6i-3} w_{6i-5}} \right), \\
y_{6n+3} &= z_{-1} \frac{\left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1} \right)}{\left(a^{6n+3} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n} a^{3i} \right) y_0 z_{-1} \right) \left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1} \right)} \\
&\times \prod_{i=1}^n \left(\frac{w_{6i-1} v_{6i-3} u_{6i-5}}{v_{6i} u_{6i-2} w_{6i-4}} \right) \\
y_{6n+4} &= z_0 \frac{\left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1} \right)}{\left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1} \right)} \\
&\times \frac{\left(a^{6n+3} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n} a^{3i} \right) z_0 x_{-1} \right)}{\left(a^{6n+4} + b \left(a(a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) + \left(\sum_{i=0}^{2n+1} a^{3i} \right) \right) z_0 x_{-1} \right)} \prod_{i=1}^n \left(\frac{w_{6i} v_{6i-2} u_{6i-4}}{u_{6i-1} w_{6i-3} v_{6i-5}} \right). \\
z_{6n-1} &= z_{-1} \frac{1}{a^{6n} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) y_0 z_{-1}} \prod_{i=1}^n \left(\frac{w_{6i-1} v_{6i-3} u_{6i-5}}{v_{6i} u_{6i-2} w_{6i-4}} \right), \\
z_{6n} &= z_0 \prod_{i=1}^n \left(\frac{w_{6i} v_{6i-2} u_{6i-4}}{u_{6i-1} w_{6i-3} v_{6i-5}} \right), \\
z_{6n+1} &= y_{-1} \frac{1}{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) x_0 y_{-1}} \prod_{i=1}^n \left(\frac{v_{6i-1} u_{6i-3} w_{6i-5}}{u_{6i} w_{6i-2} v_{6i-4}} \right),
\end{aligned}$$

$$\begin{aligned}
z_{6n+2} &= y_0 \frac{a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1}}{a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) y_0 z_{-1}} \prod_{i=1}^n \left(\frac{v_{6i} u_{6i-2} w_{6i-4}}{w_{6i-1} v_{6i-3} u_{6i-5}} \right), \\
z_{6n+3} &= x_{-1} \frac{\left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1} \right)}{\left(a^{6n+3} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n} a^{3i} \right) z_0 x_{-1} \right) \left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) z_0 x_{-1} \right)} \\
&\times \prod_{i=1}^n \left(\frac{u_{6i-1} w_{6i-3} v_{6i-5}}{w_{6i} v_{6i-2} u_{6i-4}} \right), \\
z_{6n+4} &= x_0 \frac{\left(a^{6n+1} + b \left(a(a+1) \left(\sum_{i=0}^{2n-1} a^{3i} \right) + \left(\sum_{i=0}^{2n} a^{3i} \right) \right) x_0 y_{-1} \right)}{\left(a^{6n+2} + b \left(a^2 \left(\sum_{i=0}^{2n-1} a^{3i} \right) + (a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) \right) x_0 y_{-1} \right)} \\
&\times \frac{\left(a^{6n+3} + b(a^2 + a + 1) \left(\sum_{i=0}^{2n} a^{3i} \right) x_0 y_{-1} \right)}{\left(a^{6n+4} + b \left(a(a+1) \left(\sum_{i=0}^{2n} a^{3i} \right) + \left(\sum_{i=0}^{2n+1} a^{3i} \right) \right) x_0 y_{-1} \right)} \prod_{i=1}^n \left(\frac{u_{6i} w_{6i-2} v_{6i-4}}{v_{6i-1} u_{6i-3} w_{6i-5}} \right).
\end{aligned}$$

Case A = 1:

Then equation (2.8) becomes

$$k_{n+1} - 2k_n + k_{n-1} = 0, \quad n \in \mathbb{N}_0. \quad (2.37)$$

Let $\{k_n\}_{n \geq -1}$ be the solution to equation (2.11) such that k_0 and k_{-1} are nonzero real numbers. The root of the characteristic polynomial $P(\lambda) = (\lambda - 1)^2$ is $\lambda_{1,2} = 1$. Then general solution to equation (2.11) can be written in the following form

$$k_n = c_1 + c_2 n, \quad n \in \mathbb{N}_0.$$

Using the initial values k_0 and k_{-1} , after some calculations, we get

$$\begin{aligned}
c_1 &= k_0, \\
c_2 &= k_0 - k_{-1}.
\end{aligned}$$

Thus, the general solution of equation (2.37) is

$$k_n = k_0(n+1) - k_{-1}n, \quad n \in \mathbb{N}_0. \quad (2.38)$$

From all mentioned above we see that the following theorem holds.

Theorem 2.5 Let $\{\mathcal{H}_n\}_{n \geq 0}$ be a well-defined solution to the equation (2.8). Then, for $n \in \mathbb{N}_0$

$$\mathcal{H}_n = \frac{n - \mathcal{H}_0(n+1)}{(n-1) - \mathcal{H}_0 n}. \quad (2.39)$$

Then, from (2.9) we see that

$$u_n^{(j)} = \frac{1}{B} (\mathcal{H}_n - 1), \quad B = 3b.$$

So the solution of the equation (2.7) is

$$u_n^{(j)} = \frac{u_0^{(j)}}{1 + Bnu_0^{(j)}}, \quad n \in \mathbb{N}_0. \quad (2.40)$$

where $j \in \{0, 1, 2\}$.

From all mentioned above and $u_n^{(j)} = u_{3n+j}$ we see that the following result holds.

Corollary 2.6 *Let $\{u_n\}_{n \geq 0}$ be a well-defined solution to the equation (2.5). Then, for $n \in \mathbb{N}_0$*

$$\begin{cases} u_{3n} &= \frac{u_0}{1 + Bnu_0}, \\ u_{3n+1} &= \frac{u_1}{1 + Bnu_1}, \\ u_{3n+2} &= \frac{u_2}{1 + Bnu_2}. \end{cases} \quad (2.41)$$

Let $\{u_n\}_{n \geq 0}$ be the solution to equation (2.5). From (2.3), we have

$$u_1 = \frac{v_0}{a + bv_0}.$$

On the other hand, from Corollary (2.6), we obtain

$$u_{3n+1} = \frac{\frac{v_0}{a + bv_0}}{1 + Bn \frac{v_0}{a + bv_0}},$$

Thus, we get

$$u_{3n+1} = \frac{v_0}{1 + b(3n + 1)v_0}$$

Moreover, from (2.3), we have

$$u_2 = \frac{w_0}{a^2 + b(a + 1)w_0}.$$

So, from Corollary (2.6) we have

$$u_{3n+2} = \frac{\frac{w_0}{a^2 + b(a + 1)w_0}}{1 + Bn \frac{w_0}{a^2 + b(a + 1)w_0}}.$$

So, we get

$$u_{3n+2} = \frac{w_0}{1 + b(3n + 2)w_0}.$$

From the above consideration, we see that the following result holds.

Theorem 2.7 Let $\{u_n, v_n, w_n\}_{n \geq 0}$ be a well-defined solution to the system (2.3). Then, for $n \in \mathbb{N}_0$

$$\begin{cases} u_{3n} = \frac{u_0}{1 + 3bnu_0}, & v_{3n} = \frac{v_0}{1 + 3bnv_0}, & w_{3n} = \frac{w_0}{1 + 3bnw_0}, \\ u_{3n+1} = \frac{w_0}{1 + b(3n+1)v_0}, & v_{3n+1} = \frac{u_0}{1 + b(3n+1)w_0}, & w_{3n+1} = \frac{v_0}{1 + b(3n+1)u_0}, \\ u_{3n+2} = \frac{v_0}{1 + b(3n+2)w_0}, & v_{3n+2} = \frac{w_0}{1 + b(3n+2)u_0}, & w_{3n+2} = \frac{u_0}{1 + b(3n+2)v_0}. \end{cases} \quad (2.42)$$

Using (2.18) and (2.17) in formula (2.16), after some calculations we have

$$x_{6n} = \frac{u_{6n}w_{6n-2}v_{6n-4}}{v_{6n-1}u_{6n-3}w_{6n-5}}x_{6n-6}, \quad n \in \mathbb{N}. \quad (2.43)$$

Moreover, using equalities (2.18) and (2.16) in formula (2.17), we obtain

$$y_{6n} = \frac{v_{6n}u_{6n-2}w_{6n-4}}{w_{6n-1}v_{6n-3}u_{6n-5}}y_{6n-6}, \quad n \in \mathbb{N}. \quad (2.44)$$

Similarly using (2.16) and (2.17) in (2.18), we get

$$z_{6n} = \frac{w_{6n}v_{6n-2}u_{6n-4}}{u_{6n-1}w_{6n-3}v_{6n-5}}z_{6n-6}, \quad n \in \mathbb{N}. \quad (2.45)$$

Multiplying the equalities which are obtained from (2.43), (2.20), and (2.45) from 1 to n , respectively, it follows that

$$x_{6n} = x_0 \prod_{i=1}^n \left(\frac{u_{6i}w_{6i-2}v_{6i-4}}{v_{6i-1}u_{6i-3}w_{6i-5}} \right), \quad n \in \mathbb{N}_0, \quad (2.46)$$

$$y_{6n} = y_0 \prod_{i=1}^n \left(\frac{v_{6i}u_{6i-2}w_{6i-4}}{w_{6i-1}v_{6i-3}u_{6i-5}} \right), \quad n \in \mathbb{N}_0, \quad (2.47)$$

$$z_{6n} = z_0 \prod_{i=1}^n \left(\frac{w_{6i}v_{6i-2}u_{6i-4}}{u_{6i-1}w_{6i-3}v_{6i-5}} \right), \quad n \in \mathbb{N}_0. \quad (2.48)$$

Using the equalities (2.46), (2.47), and (2.48) in formulas (2.16), (2.17), and (2.18), we obtain

$$\begin{aligned} x_{6n-1} &= \frac{w_{6n}}{z_{6n}} \\ &= \frac{1}{z_0} \frac{w_0}{1 + 6bnw_0} \prod_{i=1}^n \left(\frac{u_{6i-1}w_{6i-3}v_{6i-5}}{w_{6i}v_{6i-2}u_{6i-4}} \right), \end{aligned}$$

so

$$x_{6n-1} = x_{-1} \frac{1}{(1 + 6bnz_0x_{-1})} \prod_{i=1}^n \left(\frac{u_{6i-1}w_{6i-3}v_{6i-5}}{w_{6i}v_{6i-2}u_{6i-4}} \right). \quad (2.49)$$

Moreover,

$$\begin{aligned} y_{6n-1} &= \frac{u_{6n}}{x_{6n}} \\ &= \frac{1}{x_0} \frac{u_0}{1 + 6bnu_0} \prod_{i=1}^n \left(\frac{v_{6i-1}u_{6i-3}w_{6i-5}}{u_{6i}w_{6i-2}v_{6i-4}} \right); \end{aligned}$$

hence,

$$y_{6n-1} = y_{-1} \frac{1}{(1 + 6bnx_0y_{-1})} \prod_{i=1}^n \left(\frac{v_{6i-1}u_{6i-3}w_{6i-5}}{u_{6i}w_{6i-2}v_{6i-4}} \right). \quad (2.50)$$

Similarly,

$$\begin{aligned} z_{6n-1} &= \frac{v_{6n}}{y_{6n}} \\ &= \frac{1}{y_0} \frac{v_0}{1 + 6bnv_0} \prod_{i=1}^n \left(\frac{w_{6i-1}v_{6i-3}u_{6i-5}}{v_{6i}u_{6i-2}w_{6i-4}} \right), \end{aligned}$$

so

$$z_{6n-1} = z_{-1} \frac{1}{(1 + 6bnz_0z_{-1})} \prod_{i=1}^n \left(\frac{w_{6i-1}v_{6i-3}u_{6i-5}}{v_{6i}u_{6i-2}w_{6i-4}} \right). \quad (2.51)$$

Moreover,

$$\begin{aligned} x_{6n+1} &= \frac{u_{6n+1}}{y_{6n}} \\ &= \frac{1}{y_0} \frac{v_0}{1 + b(6n+1)v_0} \prod_{i=1}^n \left(\frac{w_{6i-1}v_{6i-3}u_{6i-5}}{v_{6i}u_{6i-2}w_{6i-4}} \right); \end{aligned}$$

thus

$$x_{6n+1} = z_{-1} \frac{1}{(1 + b(6n+1)y_0z_{-1})} \prod_{i=1}^n \left(\frac{w_{6i-1}v_{6i-3}u_{6i-5}}{v_{6i}u_{6i-2}w_{6i-4}} \right). \quad (2.52)$$

Moreover,

$$\begin{aligned} y_{6n+1} &= \frac{v_{6n+1}}{z_{6n}} \\ &= \frac{1}{z_0} \frac{w_0}{1 + b(6n+1)w_0} \prod_{i=1}^n \left(\frac{u_{6i-1}w_{6i-3}v_{6i-5}}{w_{6i}v_{6i-2}u_{6i-4}} \right); \end{aligned}$$

hence

$$y_{6n+1} = x_{-1} \frac{1}{(1 + b(6n+1)z_0x_{-1})} \prod_{i=1}^n \left(\frac{u_{6i-1}w_{6i-3}v_{6i-5}}{w_{6i}v_{6i-2}u_{6i-4}} \right). \quad (2.53)$$

Similarly,

$$\begin{aligned} z_{6n+1} &= \frac{w_{6n+1}}{x_{6n}} \\ &= \frac{1}{x_0} \frac{u_0}{1 + b(6n+1)u_0} \prod_{i=1}^n \left(\frac{v_{6i-1}u_{6i-3}w_{6i-5}}{u_{6i}w_{6i-2}v_{6i-4}} \right), \end{aligned}$$

so

$$z_{6n+1} = y_{-1} \frac{1}{(1 + b(6n+1)x_0y_{-1})} \prod_{i=1}^n \left(\frac{v_{6i-1}u_{6i-3}w_{6i-5}}{u_{6i}w_{6i-2}v_{6i-4}} \right). \quad (2.54)$$

Using the equalities (2.52), (2.53), and (2.54) in (2.16), (2.17) and (2.18), we obtain

$$\begin{aligned} x_{6n+2} &= \frac{u_{6n+2}}{y_{6n+1}} \\ &= \frac{1}{x_{-1}} \frac{w_0}{1+b(6n+2)w_0} \frac{(1+b(6n+1)z_0x_{-1})}{1} \prod_{i=1}^n \left(\frac{w_{6i}v_{6i-2}u_{6i-4}}{u_{6i-1}w_{6i-3}v_{6i-5}} \right), \end{aligned}$$

hence

$$x_{6n+2} = z_0 \frac{(1+b(6n+1)z_0x_{-1})}{(1+b(6n+2)z_0x_{-1})} \prod_{i=1}^n \left(\frac{w_{6i}v_{6i-2}u_{6i-4}}{u_{6i-1}w_{6i-3}v_{6i-5}} \right). \quad (2.55)$$

Also,

$$\begin{aligned} y_{6n+2} &= \frac{v_{6n+2}}{z_{6n+1}} \\ &= \frac{1}{y_{-1}} \frac{u_0}{1+b(6n+2)u_0} \frac{(1+b(6n+1)x_0y_{-1})}{1} \prod_{i=1}^n \left(\frac{u_{6i}w_{6i-2}v_{6i-4}}{v_{6i-1}u_{6i-3}w_{6i-5}} \right), \end{aligned}$$

so

$$y_{6n+2} = x_0 \frac{(1+b(6n+1)x_0y_{-1})}{(1+b(6n+2)x_0y_{-1})} \prod_{i=1}^n \left(\frac{u_{6i}w_{6i-2}v_{6i-4}}{v_{6i-1}u_{6i-3}w_{6i-5}} \right). \quad (2.56)$$

Similarly,

$$\begin{aligned} z_{6n+2} &= \frac{w_{6n+2}}{x_{6n+1}} \\ &= \frac{1}{z_{-1}} \frac{v_0}{1+b(6n+2)v_0} \frac{(1+b(6n+1)y_0z_{-1})}{1} \prod_{i=1}^n \left(\frac{v_{6i}u_{6i-2}w_{6i-4}}{w_{6i-1}v_{6i-3}u_{6i-5}} \right); \end{aligned}$$

hence

$$z_{6n+2} = y_0 \frac{(1+b(6n+1)y_0z_{-1})}{(1+b(6n+2)y_0z_{-1})} \prod_{i=1}^n \left(\frac{v_{6i}u_{6i-2}w_{6i-4}}{w_{6i-1}v_{6i-3}u_{6i-5}} \right). \quad (2.57)$$

Using the equalities (2.55), (2.56), and (2.57) in (2.16), (2.17), and (2.18), we obtain

$$\begin{aligned} x_{6n+3} &= \frac{u_{6n+3}}{y_{6n+2}} \\ &= \frac{1}{x_0} \frac{u_0}{1+b(6n+3)u_0} \frac{(1+b(6n+2)x_0y_{-1})}{(1+b(6n+1)x_0y_{-1})} \prod_{i=1}^n \left(\frac{v_{6i-1}u_{6i-3}w_{6i-5}}{u_{6i}w_{6i-2}v_{6i-4}} \right), \end{aligned}$$

so

$$x_{6n+3} = y_{-1} \frac{(1+b(6n+2)x_0y_{-1})}{(1+b(6n+1)x_0y_{-1})(1+b(6n+3)x_0y_{-1})} \prod_{i=1}^n \left(\frac{v_{6i-1}u_{6i-3}w_{6i-5}}{u_{6i}w_{6i-2}v_{6i-4}} \right). \quad (2.58)$$

Also,

$$\begin{aligned} y_{6n+3} &= \frac{v_{6n+3}}{z_{6n+2}} \\ &= \frac{1}{y_0} \frac{v_0}{1+b(6n+3)v_0} \frac{(1+b(6n+2)y_0z_{-1})}{(1+b(6n+1)y_0z_{-1})} \prod_{i=1}^n \left(\frac{w_{6i-1}v_{6i-3}u_{6i-5}}{v_{6i}u_{6i-2}w_{6i-4}} \right); \end{aligned}$$

thus

$$y_{6n+3} = z_{-1} \frac{(1+b(6n+2)y_0z_{-1})}{(1+b(6n+1)y_0z_{-1})(1+b(6n+3)y_0z_{-1})} \prod_{i=1}^n \left(\frac{w_{6i-1}v_{6i-3}u_{6i-5}}{v_{6i}u_{6i-2}w_{6i-4}} \right). \quad (2.59)$$

Also,

$$\begin{aligned} z_{6n+3} &= \frac{w_{6n+3}}{x_{6n+2}} \\ &= \frac{1}{z_0} \frac{w_0}{1+b(6n+3)w_0} \frac{(1+b(6n+2)z_0x_{-1})}{(1+b(6n+1)z_0x_{-1})} \prod_{i=1}^n \left(\frac{u_{6i-1}w_{6i-3}v_{6i-5}}{w_{6i}v_{6i-2}u_{6i-4}} \right), \end{aligned}$$

so

$$z_{6n+3} = x_{-1} \frac{(1+b(6n+2)z_0x_{-1})}{(1+b(6n+1)z_0x_{-1})(1+b(6n+3)z_0x_{-1})} \prod_{i=1}^n \left(\frac{u_{6i-1}w_{6i-3}v_{6i-5}}{w_{6i}v_{6i-2}u_{6i-4}} \right). \quad (2.60)$$

Using the equalities (2.58), (2.59), and (2.60) in (2.16), (2.17), and (2.18), we obtain

$$\begin{aligned} x_{6n+4} &= \frac{u_{6n+4}}{y_{6n+3}} \\ &= \frac{1}{z_{-1}} \frac{v_0}{1+b(6n+4)v_0} \frac{(1+b(6n+1)y_0z_{-1})(1+b(6n+3)y_0z_{-1})}{(1+b(6n+2)y_0z_{-1})} \prod_{i=1}^n \left(\frac{v_{6i}u_{6i-2}w_{6i-4}}{w_{6i-1}v_{6i-3}u_{6i-5}} \right); \end{aligned}$$

hence

$$x_{6n+4} = y_0 \frac{(1+b(6n+1)y_0z_{-1})(1+b(6n+3)y_0z_{-1})}{(1+b(6n+2)y_0z_{-1})(1+b(6n+4)y_0z_{-1})} \prod_{i=1}^n \left(\frac{v_{6i}u_{6i-2}w_{6i-4}}{w_{6i-1}v_{6i-3}u_{6i-5}} \right); \quad (2.61)$$

hence

$$\begin{aligned} y_{6n+4} &= \frac{v_{6n+4}}{z_{6n+3}} \\ &= \frac{1}{x_{-1}} \frac{w_0}{1+b(6n+4)w_0} \frac{(1+b(6n+1)z_0x_{-1})(1+b(6n+3)z_0x_{-1})}{(1+b(6n+2)z_0x_{-1})} \prod_{i=1}^n \left(\frac{w_{6i}v_{6i-2}u_{6i-4}}{u_{6i-1}w_{6i-3}v_{6i-5}} \right); \end{aligned}$$

hence

$$y_{6n+4} = z_0 \frac{(1+b(6n+1)z_0x_{-1})(1+b(6n+3)z_0x_{-1})}{(1+b(6n+2)z_0x_{-1})(1+b(6n+4)z_0x_{-1})} \prod_{i=1}^n \left(\frac{w_{6i}v_{6i-2}u_{6i-4}}{u_{6i-1}w_{6i-3}v_{6i-5}} \right). \quad (2.62)$$

Also,

$$\begin{aligned} z_{6n+4} &= \frac{w_{6n+4}}{x_{6n+3}} \\ &= \frac{1}{y_{-1}} \frac{u_0}{1+b(6n+4)u_0} \frac{(1+b(6n+1)x_0y_{-1})(1+b(6n+3)x_0y_{-1})}{(1+b(6n+2)x_0y_{-1})} \prod_{i=1}^n \left(\frac{u_{6i}w_{6i-2}v_{6i-4}}{v_{6i-1}u_{6i-3}w_{6i-5}} \right), \end{aligned}$$

so

$$z_{6n+4} = x_0 \frac{(1+b(6n+1)x_0y_{-1})(1+b(6n+3)x_0y_{-1})}{(1+b(6n+2)x_0y_{-1})(1+b(6n+4)x_0y_{-1})} \prod_{i=1}^n \left(\frac{u_{6i}w_{6i-2}v_{6i-4}}{v_{6i-1}u_{6i-3}w_{6i-5}} \right). \quad (2.63)$$

From Theorem (2) we conclude that

$$\left\{ \begin{array}{lcl} u_{3n} &= \frac{u_0}{1+3bnw_0}, & v_{3n} = \frac{v_0}{1+3bnv_0}, & w_{3n} = \frac{w_0}{1+3bnw_0}, \\ u_{3n-1} &= \frac{v_0}{1+b(3n-1)w_0}, & v_{3n-1} = \frac{u_0}{1+b(3n-1)u_0}, & w_{3n-1} = \frac{u_0}{1+b(3n-1)v_0}, \\ u_{3n-2} &= \frac{v_0}{1+b(3n-2)v_0}, & v_{3n-2} = \frac{w_0}{1+b(3n-2)w_0}, & w_{3n-2} = \frac{w_0}{1+b(3n-2)u_0}, \\ u_{3n-3} &= \frac{w_0}{1+b(3n-3)u_0}, & v_{3n-3} = \frac{v_0}{1+b(3n-3)v_0}, & w_{3n-3} = \frac{v_0}{1+b(3n-3)w_0}, \\ u_{3n-4} &= \frac{v_0}{1+b(3n-4)w_0}, & v_{3n-4} = \frac{w_0}{1+b(3n-4)u_0}, & w_{3n-4} = \frac{u_0}{1+b(3n-4)v_0}, \\ v_{3n-5} &= \frac{w_0}{1+b(3n-5)v_0}, & v_{3n-5} = \frac{v_0}{1+b(3n-5)w_0}, & w_{3n-5} = \frac{v_0}{1+b(3n-5)u_0}. \end{array} \right.$$

From all mentioned above and

$$u_0 = x_0y_{-1}, \quad v_0 = y_0z_{-1}, \quad w_0 = z_0x_{-1},$$

we see that the following result holds.

Theorem 2.8 Let $\{x_n, y_n, z_n\}_{n \geq -1}$ be a well-defined solution to the system (1.4) and $a = 1$. Then, for $n \in \mathbb{N}_0$

$$\begin{aligned} x_{6n-1} &= \frac{x_{-1}}{(1+6bnz_0x_{-1})} \prod_{i=1}^n \left(\frac{(1+6bix_0x_{-1})(1+b(6i-2)z_0x_{-1})(1+b(6i-4)z_0x_{-1})}{(1+b(6i-1)z_0x_{-1})(1+(6i-3)z_0x_{-1})(1+(6i-5)z_0x_{-1})} \right), \\ x_{6n} &= x_0 \prod_{i=1}^n \left(\frac{(1+b(6i-1)x_0y_{-1})(1+b(6i-3)x_0y_{-1})(1+b(6i-5)x_0y_{-1})}{(1+6bix_0y_{-1})(1+b(6i-2)x_0y_{-1})(1+b(6i-4)x_0y_{-1})} \right), \\ x_{6n+1} &= \frac{z_{-1}}{(1+b(6n+1)y_0z_{-1})} \prod_{i=1}^n \left(\frac{(1+b6iy_0z_{-1})(1+b(6i-2)y_0z_{-1})(1+b(6i-4)y_0z_{-1})}{(1+b(6i-1)y_0z_{-1})(1+b(6i-3)y_0z_{-1})(1+b(6i-5)y_0z_{-1})} \right), \\ x_{6n+2} &= \frac{z_0(1+b(6n+1)z_0x_{-1})}{(1+b(6n+2)z_0x_{-1})} \prod_{i=1}^n \left(\frac{(1+b(6i-1)z_0x_{-1})(1+b(6i-3)z_0x_{-1})(1+b(6i-5)z_0x_{-1})}{(1+6biz_0x_{-1})(1+b(6i-2)z_0x_{-1})(1+b(6i-4)z_0x_{-1})} \right), \\ x_{6n+3} &= \frac{y_{-1}(1+b(6n+2)x_0y_{-1})}{(1+b(6n+1)x_0y_{-1})(1+b(6n+3)x_0y_{-1})} \prod_{i=1}^n \left(\frac{(1+6bix_0y_{-1})(1+b(6i-2)x_0y_{-1})(1+b(6i-4)x_0y_{-1})}{(1+b(6i-1)x_0y_{-1})(1+b(6i-3)x_0y_{-1})(1+b(6i-5)x_0y_{-1})} \right), \\ x_{6n+4} &= \frac{y_0(1+b(6n+1)y_0z_{-1})(1+b(6n+3)y_0z_{-1})}{(1+b(6n+2)y_0z_{-1})(1+b(6n+4)y_0z_{-1})} \prod_{i=1}^n \left(\frac{(1+b(6i-1)y_0z_{-1})(1+b(6i-3)y_0z_{-1})(1+b(6i-5)y_0z_{-1})}{(1+6biy_0z_{-1})(1+b(6i-2)y_0z_{-1})(1+b(6i-4)y_0z_{-1})} \right), \end{aligned}$$

$$\begin{aligned}
y_{6n-1} &= \frac{y_{-1}}{(1+6bnx_0y_{-1})} \prod_{i=1}^n \left(\frac{(1+6biy_0z_{-1})(1+b(6i-2)x_0y_{-1})(1+b(6i-4)x_0y_{-1})}{(1+b(6i-1)x_0y_{-1})(1+b(6i-3)x_0y_{-1})(1+b(6i-5)x_0y_{-1})} \right), \\
y_{6n} &= y_0 \prod_{i=1}^n \left(\frac{(1+b(6i-1)y_0z_{-1})(1+b(6i-3)y_0z_{-1})(1+b(6i-5)y_0z_{-1})}{(1+6biy_0z_{-1})(1+b(6i-2)y_0z_{-1})(1+b(6i-4)y_0z_{-1})} \right), \\
y_{6n+1} &= \frac{x_{-1}}{(1+b(6n+1)z_0x_{-1})} \prod_{i=1}^n \left(\frac{(1+6bizi_0x_{-1})(1+b(6i-2)z_0x_{-1})(1+b(6i-4)z_0x_{-1})}{(1+b(6i-1)z_0x_{-1})(1+b(6i-3)z_0x_{-1})(1+b(6i-5)z_0x_{-1})} \right), \\
y_{6n+2} &= \frac{x_0(1+b(6n+1)x_0y_{-1})}{(1+b(6n+2)x_0y_{-1})} \prod_{i=1}^n \left(\frac{(1+b(6i-1)x_0y_{-1})(1+b(6i-3)x_0y_{-1})(1+b(6i-5)x_0y_{-1})}{(1+6bix_0y_{-1})(1+b(6i-2)x_0y_{-1})(1+b(6i-4)x_0y_{-1})} \right), \\
y_{6n+3} &= \frac{z_{-1}(1+b(6n+2)y_0z_{-1})}{(1+b(6n+1)y_0z_{-1})(1+b(6n+3)y_0z_{-1})} \prod_{i=1}^n \left(\frac{(1+6biy_0z_{-1})(1+b(6i-2)y_0z_{-1})(1+b(6i-4)y_0z_{-1})}{(1+b(6i-1)y_0z_{-1})(1+b(6i-3)y_0z_{-1})(1+b(6i-5)y_0z_{-1})} \right), \\
y_{6n+4} &= \frac{z_0(1+b(6n+1)z_0x_{-1})(1+b(6n+3)z_0x_{-1})}{(1+b(6n+2)z_0x_{-1})(1+b(6n+4)z_0x_{-1})} \prod_{i=1}^n \left(\frac{(1+b(6i-1)z_0x_{-1})(1+b(6i-3)z_0x_{-1})(1+b(6i-5)z_0x_{-1})}{(1+6bizi_0x_{-1})(1+b(6i-2)z_0x_{-1})(1+b(6i-4)z_0x_{-1})} \right), \\
z_{6n-1} &= \frac{z_{-1}}{(1+6bnz_0y_{-1})} \prod_{i=1}^n \left(\frac{(1+6biy_0z_{-1})(1+b(6i-2)y_0z_{-1})(1+b(6i-4)y_0z_{-1})}{(1+b(6i-1)y_0z_{-1})(1+b(6i-3)y_0z_{-1})(1+b(6i-5)y_0z_{-1})} \right), \\
z_{6n} &= z_0 \prod_{i=1}^n \left(\frac{(1+b(6i-1)z_0x_{-1})(1+b(6i-3)z_0x_{-1})(1+b(6i-5)z_0x_{-1})}{(1+6bizi_0x_{-1})(1+b(6i-2)z_0x_{-1})(1+b(6i-4)z_0x_{-1})} \right), \\
z_{6n+1} &= \frac{y_{-1}}{(1+b(6n+1)x_0y_{-1})} \prod_{i=1}^n \left(\frac{(1+6bix_0y_{-1})(1+b(6i-2)x_0y_{-1})(1+b(6i-4)x_0y_{-1})}{(1+b(6i-1)x_0y_{-1})(1+b(6i-3)x_0y_{-1})(1+b(6i-5)x_0y_{-1})} \right), \\
z_{6n+2} &= \frac{y_0(1+b(6n+1)y_0z_{-1})}{(1+b(6n+2)y_0z_{-1})} \prod_{i=1}^n \left(\frac{(1+b(6i-1)y_0z_{-1})(1+b(6i-3)y_0z_{-1})(1+b(6i-5)y_0z_{-1})}{(1+6biy_0z_{-1})(1+b(6i-2)y_0z_{-1})(1+b(6i-4)y_0z_{-1})} \right), \\
z_{6n+3} &= \frac{x_{-1}(1+b(6n+2)z_0x_{-1})}{(1+b(6n+1)z_0x_{-1})(1+b(6n+3)z_0x_{-1})} \prod_{i=1}^n \left(\frac{(1+6bizi_0x_{-1})(1+b(6i-2)z_0x_{-1})(1+b(6i-4)z_0x_{-1})}{(1+b(6i-1)z_0x_{-1})(1+b(6i-3)z_0x_{-1})(1+b(6i-5)z_0x_{-1})} \right), \\
z_{6n+4} &= \frac{x_0(1+b(6n+1)x_0y_{-1})(1+b(6n+3)x_0y_{-1})}{(1+b(6n+2)x_0y_{-1})(1+b(6n+4)x_0y_{-1})} \prod_{i=1}^n \left(\frac{(1+b(6i-1)x_0y_{-1})(1+b(6i-3)x_0y_{-1})(1+b(6i-5)x_0y_{-1})}{(1+6bix_0y_{-1})(1+b(6i-2)x_0y_{-1})(1+b(6i-4)x_0y_{-1})} \right),
\end{aligned}$$

3. Summary and recommendations

In this work, we have successfully established in a constructive way the closed-form solution of system of rational difference equations

$$x_{n+1} = \frac{z_{n-1}}{a + by_nz_{n-1}}, \quad y_{n+1} = \frac{x_{n-1}}{a + bz_nx_{n-1}}, \quad z_{n+1} = \frac{y_{n-1}}{a + bx_ny_{n-1}}, \quad n \in \mathbb{N}_0$$

where parameters a, b and initial values $x_{-1}, x_0, y_{-1}, y_0, z_{-1}$ and z_0 are real numbers.

The results in this paper can be extended to the following system of difference equations

$$x_{n+1}^{(1)} = \frac{x_{n-1}^{(3)}}{a + bx_n^{(2)}x_{n-1}^{(3)}}, \quad x_{n+1}^{(2)} = \frac{x_{n-1}^{(4)}}{a + bx_n^{(3)}x_{n-1}^{(4)}}, \quad \dots, \quad x_{n+1}^{(p)} = \frac{x_{n-1}^{(p-1)}}{a + bx_n^{(1)}x_{n-1}^{(p-1)}}, \quad n, p \in \mathbb{N}_0$$

where the parameters a, b and the initial values $x_{-1}^{(j)}$ and $x_0^{(j)}$, $j = \overline{0, p}$ are nonzero real numbers.

Acknowledgment

This work was supported by Directorate General for Scientific Research and Technological Development (DGRSDT), Algeria.

References

- [1] Akrour Y, Touafek N, Halim Y. On a system of difference equations of second order solved in closed-form. *Miskolc Mathematical Notes* 2019; 20 (2): 701-717. doi: 10.18514/MMN.2019.2923
- [2] Aloqeili M. Dynamics of a rational difference equation. *Applied Mathematics and Computation* 2006; 176 (1): 768-774. doi: 10.1016/j.amc.2005.10.024
- [3] Cinar C. On the positive solutions of the difference equation $x_{n+1} = \frac{x_{n-1}}{1 + ax_n x_{n-1}}$. *Applied Mathematics and Computation* 2004; 158 (3): 809-812. doi: 10.1016/j.amc.2003.08.140
- [4] Cinar C. On the positive solutions of the difference equation $x_{n+1} = \frac{x_{n-1}}{-1 + x_n x_{n-1}}$. *Applied Mathematics and Computation* 2004; 158 (1): 813-816. doi: 10.1016/j.amc.2003.08.122
- [5] Cinar C. On the positive solutions of the difference equation $x_{n+1} = \frac{x_{n-1}}{-1 + bx_n x_{n-1}}$. *Applied Mathematics and Computation* 2004; 158 (1): 793-797. doi: 10.1016/j.amc.2003.08.139
- [6] Elsayed EM. On a system of two nonlinear difference equations of order two. *Proceedings of the Jangjeon Mathematical Society* 2015; 18: 353-368.
- [7] Elsayed EM. Solutions of rational difference systems of order two. *Mathematical and Computer Modelling* 2012; 55 (1): 378-384. doi: 10.1016/j.mcm.2011.08.012
- [8] Elsayed EM, Ibrahim TF. Periodicity and solutions for some systems of nonlinear rational difference equations. *Hacettepe Journal of Mathematics and Statistics* 2015; 44: 1361-1390. doi: 10.15672/HJMS.2015449653
- [9] Elsayed EM. Solution for systems of difference equations of rational form of order two. *Computational and Applied Mathematics* 2014; 33: 751-765. doi: 10.1007/s40314-013-0092-9
- [10] Halim Y. Global character of systems of rational difference equations. *Electronic Journal of Mathematical Analysis and Applications* 2015; 3: 204-214.
- [11] Halim Y. Form and periodicity of solutions of some systems of higher-order difference equations. *Mathematical Sciences Letters* 2016; 5: 79-84. doi: 10.18576/msl/050111
- [12] Halim Y. A system of difference equations with solutions associated to Fibonacci numbers. *International Journal of Difference Equations* 2016; 11: 65-77.
- [13] Halim Y, Touafek N, Yazlik Y. Dynamic behavior of a second-order nonlinear rational difference equation. *Turkish Journal of Mathematics* 2015; 39: 1004-1018. doi:10.3906/mat-1503-80
- [14] Halim Y, Bayram M. On the solutions of a higher-order difference equation in terms of generalized Fibonacci sequences. *Mathematical Methods in the Applied Sciences* 2016; 39: 2974-2982. doi: 10.1002/mma.3745
- [15] Halim Y, Rabago JTF. On some solvable systems of difference equations with solutions associated to Fibonacci numbers. *Electronic Journal of Mathematical Analysis and Applications* 2017; 5: 166-178.
- [16] Halim Y, Rabago JFT. On the solutions of a second-order difference equations in terms of generalized Padovan sequences. *Mathematica Slovaca* 2018; 68 (3): 625-638. doi: 10.1515/ms-2017-0130
- [17] Rabago JTF, Halim Y. Supplement to the paper of Halim, Touafek and Elsayed: Part I. Dynamics of Continuous, Discrete and Impulsive Systems Series A: Mathematical Analysis 2017; 24: 121-131.

- [18] Kara M, Yazlik Y. Solvability of a system of nonlinear difference equations of higher order. *Turkish Journal of Mathematics* 2019; 43 (3): 1533-1565. doi: 10.3906/mat-1902-24
- [19] Kara M, Yazlik Y. On the system of difference equations $x_n = \frac{x_{n-2}y_{n-3}}{y_{n-1}(a_n+b_nx_{n-2}y_{n-3})}, y_n = \frac{y_{n-2}x_{n-3}}{x_{n-1}(a_n+\beta_ny_{n-2}x_{n-3})}$. *Journal of Mathematical Extension* 2020; 14 (1): 41-59.
- [20] Kara M, Yazlik Y, Tollu DT. Solvability of a system of higher order nonlinear difference equations. *Hacettepe Journal of Mathematics & Statistics* 2020; doi: 10.15672/HJMS.xx
- [21] Khelifa A, Halim Y, Berkal M. Solutions of a system of two higher-order difference equations in terms of Lucas sequence. *Universal Journal of Mathematics and Applications* 2019; 2(4): 202-211. doi: 10.32323/ujma.610399
- [22] Stević S. On a third-order system of difference equations. *Applied Mathematics and Computation* 2012; 218: 7649-7654. doi: 10.1016/j.amc.2012.01.034
- [23] Stević S. On some solvable systems of difference equations. *Applied Mathematics and Computation* 2012; 218 (9): 5010-5018. doi: 10.1016/j.amc.2011.10.068
- [24] Stević S. More on a rational recurrence relation. *Applied Mathematics E-Notes* 2004; 4 (1): 80-85.
- [25] Stević S. On a system of difference equations, *Applied Mathematics and Computation* 2011; 218 (7): 3372-3378. doi: 10.1016/j.amc.2011.08.079
- [26] Stević S. On a system of difference equations with period two coefficients. *Applied Mathematics and computation* 2011; 218 (8): 4317-4324. doi: 10.1016/j.amc.2011.10.005
- [27] Tollu DT, Yazlik Y, Taskara N. On fourteen solvable systems of difference equations. *Applied Mathematics and Computation* 2014; 233: 310-319. doi: 10.1016/j.amc.2014.02.001
- [28] Tollu DT, Yazlik Y, Taskara N. On the solutions of two special types of Riccati difference equation via Fibonacci numbers. *Advances in Differential Equations* 2013; 174: 7pages. doi: 10.1186/1687-1847-2013-174
- [29] Touafek N. On some fractional systems of difference equations. *Iranian Journal of Mathematical Sciences and Informatics* 2014; 9: 303-305. doi: 10.7508/ijmsi.2014.02.007
- [30] Touafek N. On a second order rational difference equation. *Hacettepe Journal of Mathematics and Statistics* 2012; 41: 867-874.
- [31] Touafek N, Elsayed EM. On the periodicity of some systems of nonlinear difference equations. *Bulletin Mathématique de la Société des Sciences Mathématiques de Roumanie. Nouvelle Série* 2021; 55: 217-224.
- [32] Touafek N, Elsayed EM. On the solutions of systems of rational difference equations. *Mathematical and Computer Modelling* 2012; 55(7-8): 1987-1997. doi: 10.1016/j.mcm.2011.11.058
- [33] Yazlik Y, Tollu DT, Taskara N. On the solutions of difference equation systems with Padovan numbers. *Applied Mathematics* 2013; 12: 15-20. doi: 10.4236/am.2013.412A1002
- [34] Yazlik Y, Tollu DT, Taskara N. Behaviour of solutions for a system of two higher-order difference equations. *Journal of Science and Arts* 2018; 45 (4): 813-826.
- [35] Yazlik Y, Kara M. On a solvable system of difference equations of higher-order with period two coefficients. *Communications Faculty of Sciences University of Ankara Series A1 Mathematics and Statistics* 2019; 68 (2): 1675-1693.
- [36] Yazlik Y, Kara M. Beşinci mertebeden fark denklem sisteminin çözülebilirliği üzerine. *Eskişehir Teknik Üniversitesi Bilim ve Teknoloji Dergisi B-Teorik Bilimler* 2019; 7 (1): 29-45 (in Turkish).